
# eurolite®

## **EUROLITE CRT-120 LED-Curtain**

LED curtain with 120 LEDs RGB+yellow and compatible DMX controller (3 x 2 m)

Art. No.: 80503400 GTIN: 4026397406986



## The article is no longer in our assortment.

#### Features:

- Several curtains can be linked via DMX512
- 120 powerful LEDs 5 mm R/G/B/A
- The device is cooled by passive convection cooling
- Control via stand-alone; DMX; sound to light via microphone
- Easy installation
- B1 low flammability
- For application areas such as: Party room; mobile djs / entertainer
- Water repellent
- Dimmer electronic; color selection manual; color change adjustable; color fade adjustable
- Strobe effect
- Package contents

- 1 x controller, 1 x curtain, 1 x user manual, 1 x power cord, 58 x mounting material, 8 x illuminant

### **Technical specifications:**

Power supply:	100-240 V AC, 50/60 Hz
Power consumption:	15,00 W
IP classification:	IP20
Power connection:	Mains input via IEC connector (M) mounting version power supply cord with safety plug (provided)
LED type:	120 x 5 mm R/G/B/A

#### Logistic

EAN / GTIN: 4026397406986 Weight: 4,95 kg Length: 0.50 m Width: 0.23 m Heigth: 0.30 m

Eurolite®, Futurelight®, PSSO®, Roadinger®, Alutruss®, Europalms® and Dimavery® are trademarks of Steinigke Showtechnic GmbH, Andreas-Bauer-Straße 5, DE-97297 Waldbüttelbrunn All rights reserved. Subject to change without notice. Errors and omissions excepted.Illustration only. Actual item may differ from photo.

Flash rate:	1 - 12 Hz
DMX channels:	8
DMX input:	1 x 3-pin XLR (M) mounting version
DMX output:	1 x 3-pin XLR (F) mounting version
Cooling:	Passive convection cooling
Control:	Stand-alone; DMX; sound to light via microphone
Setup:	Easy installation
Housing color:	Black
Material:	, water repellent
Controller	
Dimensions:	Width: 18 cm
	Depth: 19 cm
	Height: 9 cm
Weight:	1,2 kg
Curtain	
Dimensions:	Width: 300 cm
	Height: 200 cm
Weight:	3,6 kg
Legal specifications	
Special product:	Not designed for household room illumination
Intended use:	Show effect lighting