

## TWINKLY Lightwall

Mobile LED curtain with app control and aluminum stand (2.6 x 2.7 m)

Art. No.: 80503450

GTIN: 8053614841776



**List price: 1426.81 €**

incl. 19% VAT.

### Features:

- 1120 powerful LEDs 3in1 TCL RGB<BR> LEDs controlled separately
- Color animations
- Control via Twinkly App
- Several curtains can be easily combined and synchronously operated
- The article is delivered with practical transport bag
- Flicker-free
- Easy to assemble
- The article is delivered dismantled
- Space-saving storing
- With bracket for floor use
- 2 Rugged carrying handles
- Trolley
- 2 plastic feet
- B1 low flammability
- The device is cooled by passive convection cooling
- Bluetooth: operating range up to 10m
- Compatible with Android, IOS,
- Matrix effect
- For application areas such as: Clubs/dancing school; wedding/gala/events; stage; mobile djs / entertainer; restaurants, bars and hotels
- Silent operation
- Application possibility: Standing; on stand

#### Package contents

- 1 x bag, 1 x curtain, 1 x external mains adapter, 1 x controller, 1 x dongle, 1 x frame, 2 x foot, 2 x balance weights, 2 x screw, 1 x user manual

### Logistic

EAN / GTIN: 8053614841776

Weight: 16,90 kg

Length: 0.97 m

Width: 0.35 m

Height: 0.25 m

## Technical specifications:

Power supply:	100-240 V AC, 50/60 Hz 24V DC
Power consumption:	35 W
IP classification:	IP44
Protection class:	Protection class II
Power connection:	Fixed power supply cord with contour plug (M) CEE 7/17
Cable construction:	2 x 1,0 mm <sup>2</sup> H05RN-F
Wi-Fi:	Standard: IEEE 802.11 b/g/n
Lamp type:	LED lamp
LED type:	1120 x 3in1 TCL RGB
Network connection:	Protocol: Ethernet TCP/IP via 1x RJ-45 (F) mounting version
Cooling:	Passive convection cooling
Control:	Twinkly App
Bluetooth:	Version: 4,2 + BR/EDR
Projection:	Flicker-free
Range:	Bluetooth: range up to 10m
Carrier frequency:	2,4 GHz
Setup:	Easy to assemble; space-saving storing
Standing/fixation:	Stand
Image:	Max. 28x40 px Pixel pitch 65 mm Pixel pitch 90 mm
Lamp life:	30000 h
Housing color:	Black
Attachment system:	2x bracket for floor use
Status LED:	Power, standby
Carrying handle:	2 pc/pcs
Transport aid:	Trolley 2 x plastic feet
Material:	Polyester; metal, painted
Bottom plate:	8 cm x 45 cm x 0,9 cm
Transport dimensions:	36 cm x 23 cm x 93 cm
Display:	260 cm x 1,5 cm x 270 cm
Dimensions:	Width: 260 cm Depth: 45 cm Height: 270 cm
Weight:	15,6 kg
Operating system:	Android, IOS,
Noise classification:	Class 0 (no noise at all)
Bag	
Weight:	5,0 kg

Curtain	
Cable length:	Approx. 3 m
Weight:	10,6 kg
External mains adapter	
Cable length:	Approx. 1,5 m
Controller	
Cable length:	Approx. 0,96 m
Legal specifications	
Special product:	Not designed for household room illumination
Intended use:	Show effect lighting