



**L'article n'est plus disponible.**

### Caractéristiques:

#### FUTURELIGHT EYE-7 RGBW LED Moving-Head Beam

Moving-head-beam 4-en-1 avec LED 15 W

- Equipped with 7 x 15 W quadcolor LED with RGBW colors (Osram)
- Compact housing
- Narrow illumination angle
- High PAN/TILT speed
- Supports RDM (Remote Device Management)
- 14, 16 or 22 DMX channels selectable
- Exact positioning via 16 bit PAN/TILT movement resolution, dimmer intensity and colors
- Master dimmer
- Color presets
- Stepless RGBW color mixture
- Strobe effect with adjustable speed
- Random strobe effect
- Automatic position correction
- PAN angle switchable between 540° and 630°
- Sound-controlled via built-in microphone
- Switch-mode power supply
- Automatic power supply adaption between 100 and 240 Volts without power selector
- Control board with graphic LCD display and foil-keyboard for adjusting the DMX-starting address, PAN/TILT reverse, reset
- DMX-controlled operation or stand-alone operation with Master/Slave function
- The scenes can be modified via the Control Board or via an external controller and loaded into the memory
- Number of scenes can be changed individually
- Software upload by optional accessories via DMX link

### Logistique

- Power connection via Neutrik PowerCon jack and included power cable
- Feed-through output allows to power another device
- After every 8 device the fixtures must have a renewed connection with the power mains
- DMX control via every standard DMX controller

### ROADINGER Flightcase 6x EYE-7 RGBW

PRO flightcase for 6 x EYE-7 RGBW

- Compartments for 6 units and accessory
- Interior and cover upholstered with foam
- High-quality workmanship with multiplex birch wood, black laminated
- Aluminum profile frames (25 mm) with rounded edges
- Three-leg, large steel ball corners (chromium plated)
- 4 castors, 2 of which with locking brakes
- 2 large butterfly locks (without locking function)
- 4 hinged, chromium plated case handles
- Roulettes
- Vous trouverez de plus amples informations sur ce produit dans la rubrique « Téléchargements » de la fiche technique

### Données techniques:

|                           |                                                        |
|---------------------------|--------------------------------------------------------|
| Poids:                    | 61,40 kg                                               |
| Spécifications juridiques |                                                        |
| Produit spécial:          | Non destiné à l'éclairage de la pièce dans les ménages |
| Utilisation:              | Éclairage pour effets de spectacle                     |

### FUTURELIGHT EYE-7 RGBW LED Moving-Head Beam

|                                   |                                                              |
|-----------------------------------|--------------------------------------------------------------|
| Alimentation électrique:          | 100-240 V CA, 50/60 Hz                                       |
| Puissance totale de raccordement: | 100,00 W                                                     |
| Dimension:                        | Largeur : 17,9 cm<br>Profondeur : 35 cm<br>Hauteur : 24,4 cm |
| DMX channels:                     | 14/16/22                                                     |
| DMX connection:                   | 3-pin XLR                                                    |
| Sound-control:                    | via built-in microphone                                      |
| Flash-rate:                       | 18 Hz                                                        |
| LED number:                       | 7                                                            |
| LED type:                         | 15 W QCL                                                     |
| Beam angle:                       | 7°                                                           |
| Maximum PAN-movement:             | 630°                                                         |
| Maximum TILT-movement:            | 270°                                                         |
| Dimensions (L x W x H):           | 244 x 179 x 350 mm                                           |
| Weight:                           | 6 kg                                                         |
| Spécifications juridiques         |                                                              |
| Produit spécial:                  | Non destiné à l'éclairage de la pièce dans les ménages       |

|              |                                    |
|--------------|------------------------------------|
| Utilisation: | Éclairage pour effets de spectacle |
|--------------|------------------------------------|

**ROADINGER Flightcase 6x EYE-7 RGBW**

|                                 |                                                              |
|---------------------------------|--------------------------------------------------------------|
| Charge maximale:                | 100 kg                                                       |
| Aide au transport:              | Roulettes                                                    |
| Matériau:                       | Bois multiplex bouleau, 7 mm                                 |
| Couleur:                        | Noir, laminé                                                 |
| Dimension:                      | Largeur : 92 cm<br>Profondeur : 53,5 cm<br>Hauteur : 57,5 cm |
| Poids:                          | 23 kg                                                        |
| Strength:                       | 7 mm                                                         |
| Outside dimensions (W x D x H): | 920 x 535 x 575 mm                                           |
| Inside dimensions (W x D x H):  | 880 x 490 x 350 mm                                           |
| Device compartment (W x D x H): | 255 x 245 x 315 mm                                           |