

## **OMNITRONIC M-1520 Monitor 800W**

Moniteur de scène 2 voies

Réf.: 11038015





# L'article n'est plus disponible.

### Caractéristiques:

- Rugged 2-way speaker-system in a stable wooden housing
- Large mid-range horn with coil-driver for balanced mids
- With passive 2-way crossover
- Powerful, dry bass via voluminous housing and bass-reflex tubes
- Horizontal loudspeaker alignment
- Very high durability
- Scratch-resistant, black felt-covering
- Strong protective grille for perfect protection
- With stable protective steel corners

## Données techniques:

| Capacité de charge: | Programme: 800W<br>Nominale: 400W RMS                        |
|---------------------|--|
| Plage de fréquence: | 30 - 18000 Hz  |
| Enceinte:           | 1 x Boumeur 15"  |
| Type d'enceinte:    | Écran de scène   |
| Dimension:          | Largeur : 48 cm<br>Profondeur : 66,5 cm<br>Hauteur : 33,5 cm |
| Poids:              | 16,00 kg   |

#### Logistique

EAN / GTIN: 4026397195996

Poids: 17,30 kg Longueur: 0.51 m Largeur: 0.36 m Hauteur: 0.70 m

| Components:             | 38 cm woofer (15"), horn |  |
|-------------------------|--------------------------|--|
| Connection:             | 2 Speaker sockets        |  |
| Sensitivity:            | 97 dB                    |  |
| Impedance:              | 8 ohms                   |  |
| Dimensions (H x W x D): | 480 x 665 x 335 mm       |  |