

EUROLITE LED ML-56 COB RGB 100 W Floor noir

Projecteur ML et LED COB 100 W mélange de couleurs RGB

Réf. : 41607301

GTIN: 4026397588293



L'article n'est plus disponible.

Description:

ML spot with 100 W COB LED and RGB color mixing

The Eurolite LED ML-56 spotlight is equipped with a 100 Watts Chip-on-Board (COB) LED in RGB colors, which ensure homogeneous color mixing. It is suitable for use in theatres, on large stages as a front spotlight and for mobile use. Because of the additional stand bracket, the ML-56 can also be used as a floor spot.

The effect spotlight comes with a variety of functions: Automatic color change, internal and user-defined programs, dimmer and strobe effect with variably adjustable speed. The flicker-free projection even makes it possible to use the spotlight for video recording.

You can control the Eurolite LED ML-56 COB via DMX with master/slave function or in standalone mode. In addition, the built-in microphone allows you to operate the spotlight via music control. Comfortable addressing and setting is possible via the Control Board with four operating keys and LED display.

Caractéristiques:

- Equipped with one COB 100 W LED in RGB colors
- Functions: static colors, RGB color mixture, automatic color change, internal programs and user defined auto programs, user defined color presets, dimmer and strobe settings, power limitation
- Adjustable white balance
- Dimmer speed (step response) adjustable
- DMX-controlled operation or stand-alone operation with Master/Slave function
- Color presets can be called up via DMX controller
- Strobe effect with adjustable speed

Logistique

EAN / GTIN: 4026397588293

Poids: 4,00 kg

Longueur: 0.29 m

Largeur: 0.29 m

Hauteur: 0.39 m

- Beam angle approximately 40°
 - Comfortable addressing and setting via Control Board with LED display and four operating buttons
 - Ideal as floor spot via additional bracket
 - Locking possibility at the brackets
 - Ideal for theatres, large stages as pre-stage spot and mobile use
 - With color filter frame
 - Optional barndoors available
 - Ready for connection with power cord and safety plug
 - Switch-mode power supply for operation between 100 and 240 volts
 - Available in silver or in black
 - 1 LED puissante 100 W COB (Chip-on-board) 3in1 TCL RGB (mélange de couleurs homogène)
 - Effet stroboscope
 - L'appareil est refroidi par ventilateur
 - Commandé via DMX; Commande de la musique via Microphone
 - Déjà préprogrammé pour %: Light´J; LED PC-Control 512; EASY SHOW 1; LED EASY OPERATOR 4x4; LED EASY OPERATOR 4x6; LED EASY OPERATOR DELUXE
 - Exempt de scintillements
 - Avec un Angle de départ de 40°
- L'étendue des fournitures**
- 1 x projecteur, 1 x mode d'emploi, 1 x porte-filtre

Données techniques:

Alimentation électrique:	100-240 V CA, 50/60 Hz
Puissance totale de raccordement:	90 W
Type de protection:	IP20
Classe de protection:	SK I
Branchement électrique:	Fixe Câble d'alimentation à prise contact de protection
Longueur du câble:	Env. 1,2 m
Type de lampe:	Lampe LED
LED:	1 x 100 W COB (Chip-on-board) 3in1 TCL RGB (mélange de couleurs homogène)
Fréquence du flash:	0 - 17 Hz
Canaux DMX:	3; 3 (Teinte/saturation/niveau d'obscurité HSV); 5; 6; 9
Entrée DMX:	1 x XLR (M) 3 broches version encastrable
Sortie DMX:	1 x XLR (F) 3 broches version encastrable
Refroidissement:	Ventilateur
Commande:	DMX; Commande de la musique via Microphone
Préprogrammé dans:	Light´J; LED PC-Control 512; EASY SHOW 1; LED EASY OPERATOR 4x4; LED EASY OPERATOR 4x6; LED EASY OPERATOR DELUXE
Projection:	Exempt de scintillements
Angle de départ:	40°
Angle de départ (1/2 pic):	40°
Angle de départ (1/10 pic):	82°
Couleur du boîtier:	Noir
Dimension:	Largeur : 31 cm Profondeur : 26 cm Hauteur : 30 cm

Poids:	3,41 kg
Classification du bruit:	Classe 3 (bruits clairement perceptibles)
Spécifications juridiques	
Produit spécial:	Non destiné à l'éclairage de la pièce dans les ménages
Utilisation:	Éclairage pour effets de spectacle