

## EUROLITE LED MFE-20 Hybrid, effet de faisceau

Scanner Flower aux faisceaux colorés RGBW + 6 LED stroboscopiques de ton blanc chaud

Réf. : 51918682

GTIN: 4026397555400



## L'article n'est plus disponible.

### Description:

The LED MFE-20 Hybrid Beam Effect by Eurolite is everything you need to illuminate all kinds of parties. This compact scanner can be controlled either in stand-alone mode, via DMX (4 or 13 channels) or IR remote.

The deflection mirror creates rapid color changes and its angle can be adjusted manually or automatically. The sensitivity of the integrated microphone can be adjusted manually.

A high-power 10W quad-color LED in the colors red, green, blue and white works together with an extra set of white strobe LEDs at the bottom of the device to create a true color explosion matching music of all kinds of genres: You can choose from static colors, preset programs, RGBW mixed colors as well as strobe effects.

If you wish to link multiple hybrid beam effects to illuminate bigger rooms, simply use the master/slave function and the devices work in sync.

The MFE-20 comes in a sturdy all-metal enclosure that sports an adjustable bracket, 3-pin DMX connectors as well as an IEC mains input and a feed-through output for daisy-chaining up to 8 units.

### Caractéristiques:

- Scanner with adjustable mirror
- A bright 6in1 LED (R, G, B, W) is located behind the main lens; white 1 W LEDs are found on the underside of the device
- Operable in stand-alone mode or via DMX
- Adjustable microphone sensitivity via control board

### Logistique

EAN / GTIN: 4026397555400

Poids: 4,05 kg

Longueur: 0.39 m

Largeur: 0.20 m

Hauteur: 0.23 m

- The colorful beams change their direction of movement at every bass-beat in sound controlled mode
- Comfortable addressing and setting via control panel with LED display and four operating buttons
- Additional control via included EUROLITE IR-7 remote
- Functions: Static colors, RGBW color blend, auto mode, internal programs, strobe settings via DMX, Pan/Tilt settings via DMX
- Master/Slave function for synchronous operation with several devices
- Equipped with 1 x 10 W RGBW LED and 6 x 1 W LEDs in white
- Locking possibility at the mounting bracket
- IEC terminals for power linking up to 8 units
- Switch-mode power supply for operation between 100 and 240 volts
- 6 LED puissantes 1 W high-power blanc froid (CW) (mélange de couleurs homogène)
- 1 LED puissante 10 W high-power 4in1 QCL RGBW
- Effet gobo; effet beam; Effet stroboscope
- L'appareil est refroidi par ventilateur
- Commandé via stand-alone; DMX; Télécommande infrarouge; Commande de la musique via Microphone
- Déjà préprogrammé pour %: Light'J; LED PC-Control 512

#### L'étendue des fournitures

- 1 x télécommande

### Données techniques:

Alimentation électrique:	100-240 V CA, 50/60 Hz
Puissance totale de raccordement:	37 W
Type de protection:	IP20
Branchement électrique:	Alimentation électrique via Appareils froids (M) version encastrable Câble d'alimentation à prise contact de protection (inclus dans la livraison)
Sortie de courant:	1 x Appareils froids (F) version encastrable
Type de lampe:	Lampe LED
LED:	6 x 1 W high-power blanc froid (CW) (mélange de couleurs homogène) 1 x 10 W high-power 4in1 QCL RGBW
Canaux DMX:	4; 13
Entrée DMX:	1 x XLR (M) 3 broches version encastrable
Sortie DMX:	1 x XLR (F) 3 broches version encastrable
Refroidissement:	Ventilateur
Commande:	Stand-alone; DMX; Télécommande infrarouge; Commande de la musique via Microphone
Préprogrammé dans:	Light'J; LED PC-Control 512
Couleur du boîtier:	Noir
Dimension:	Largeur : 17,1 cm Profondeur : 35,5 cm Hauteur : 24,2 cm
Poids:	3,70 kg
Classification du bruit:	Classe 4 (bruits forts)
Télécommande	
Batterie:	1 x Pile bouton 3,0 V CR2025 lithium manganèse intégré
Spécifications juridiques	
Produit spécial:	Non destiné à l'éclairage de la pièce dans les ménages

