


ALUTRUSS BISYSTEM PBT-4000 2-way cross beam

Système de traverses 2 points

Réf. : 60300500

GTIN: 4026397085655



L'article n'est plus disponible.

Description:

BISYSTEM PBT 2-point truss system

BISYSTEM PBT is a 2-point truss system made of aluminum. The individual elements are connected via two tube fasteners and two M10 bolts and nuts.

The two main chords are made of 50 mm aluminum tube with 2 mm wall thickness and offer a good relation between strength and weight. The braces have a diameter of 12 mm with 2 mm wall thickness and leave enough space for installing couplers, hooks and clamps.

With 238 mm outer dimensions, BISYSTEM PBT is a relatively compact truss system for higher loads. BISYSTEM PBT is mainly designed for permanent installations in shops, discotheques and theatres.

By using the optional rapid snap connectors, this system can also be used for fair installations and event installations.

Altogether a universal truss system impressing with its wide range of standard system lengths, corners and accessory.

Caractéristiques:

- High-quality aluminum-tubes with 50 mm in diameter
- Easy installation
- Low weight
- For exhibition and shop installers, discotheque and theatre installations
- 1 x Connection set included
- Tube porteur: 50 mm

L'étendue des fournitures

Logistique

EAN / GTIN: 4026397085655

Poids: 8,10 kg

Longueur: 4.00 m

Largeur: 0.26 m

Hauteur: 0.05 m

Article encombrant

- 1 x set de connecteurs

Données techniques:

| | |
|----------------------------------|--------------------------------|
| Tube porteur: | 50 mm x 2 mm |
| Couleur: | Couleurs alu |
| Entretoise diamètre x épaisseur: | 12 x 2 mm |
| Dimension: | Longueur : 4 m |
| Poids: | 7,88 kg |
| Main chords: | 50 x 2 mm |
| Braces: | 12 x 2 mm |
| Connectors: | 200 x 3 mm |
| Alloy: | EN-AW 6060 T66 (AlMgSi0.5 T66) |
| Welding material: | AlMg 5 |
| Welding technique: | TIG-welding |
| Outer dimensions: | |
| Width: | 238 mm |
| Length: | 4000 mm |