


EUROLITE GD-37.5 LED panel 200x600mm

LED display for video and pixel mapping applications

Réf. : 80503576 GTIN: 4026397561517





L'article n'est plus disponible.

Caractéristiques:

- Modular LED display for video and pixel mapping applications
- Bright and colorful projection of videos, animations and graphics
- 37.5 mm pixel pitch
- 128 pixels (8 x 16)
- RGB SMD 5050 LEDs
- Transparent design
- Modular display concept allows the build-up of large areas
- Ideal for stage/fair construction and fixed installation
- Control via optional AIO processor and PC software
- 128 LED puissantes SMD 5050 3in1 TCL RGB (mélange de couleurs homogène)

Données techniques:

Alimentation électrique:	24V CC
Puissance totale de raccordement:	12 W
Type de LED:	128 x SMD 5050 3in1 TCL RGB (mélange de couleurs homogène)
Image:	Max. 8x16 px
	Distance entre les pixels 37,5 mm
	Densité des pixels 711/m²
	Luminosité 850%cd/m²
Dimension:	Largeur : 600 cm

Logistique

EAN / GTIN: 4026397561517

Poids: 0,49 kg Longueur: 0.58 m Largeur: 0.28 m Hauteur: 0.01 m

	Hauteur : 200 cm
Poids:	0,46 kg
Spécifications juridiques	
Produit spécial:	Non destiné à l'éclairage de la pièce dans les ménages
Utilisation:	Éclairage pour effets de spectacle