



L'articolo non è più disponibile.

Features :

EUROLITE LED PMB-4 COB RGB 30W Bar

Bright bar with 4 x 30 W COB LED, good RGB color mixture, wide beam angle

- Equipped with 4 x 30 W COB LED in the colors red, green and blue
- 3, 5, 12 or 15 DMX channels selectable for numerous applications
- Each LED can be controlled individually
- Rugged housing and an appealing design
- Base for standing installation
- Functions: Static colors, RGB color blend, internal programs, dimmer and strobe settings via DMX, Master/Slave
- DMX-controlled operation or stand-alone operation with Master/Slave function
- Sound-control via built-in microphone; sensitivity adjustable
- Comfortable addressing and setting via control panel with LCD display and four operating buttons
- Neutrik powerCON terminals for power linking up to 8 units
- Switch-mode power supply for operation between 100 and 240 volts
- 4 potenti LED 30 W COB (chip-on-board) 3in1 TCL RGB (miscela di colori omogenea)
- Effetto stroboscopico
- Controllabile via stand-alone; DMX; controllo della musica via microfono
- Già pre-programmato con Light' J; Light Captain
- With a beam angle of 60°
- Per maggiori informazioni su questo prodotto, consultare "Download" nella scheda tecnica

Logistica

ROADINGER Flightcase 2x PMB-4

PRO flightcase for 2 x PMB-4

- Compartments for two PMB-4
- Suitable for EUROLITE LED PMB-4 COB RGB 30W Bar
- High-quality workmanship with multiplex birch wood, dark brown laminated
- Aluminum profile frames (30 mm) with rounded edges
- Interior upholstered with foam
- Three-leg, medium-sized steel ball corners
- 2 hinges
- 1 butterfly lock
- 1 case handle
- Hardware di marca
- Made in Europe
- Per maggiori informazioni su questo prodotto, consultare "Download" nella scheda tecnica

Dati tecnici :

Peso:	16,30 kg
Specifiche legali	
Prodotto speciale:	Non destinato all'illuminazione di ambienti domestici
Destinazione d'uso:	Illuminazione per effetti speciali

EUROLITE LED PMB-4 COB RGB 30W Bar

Alimentazione elettrica:	230 V AC, 50 Hz
Potenza totale installata:	130,00 W
Grado di protezione:	IP20
Allacciamento elettrico:	Alimentazione dell'energia elettrica tramite PowerCON (blu), versione da incasso cavo di alimentazione con spina di protezione (in dotazione)
Uscita di corrente:	1 x PowerCON (grigio), versione da incasso
Tipo di lampada:	Lampada a LED
Tipo di LED:	4 x 30 W COB (chip-on-board) 3in1 TCL RGB (miscela di colori omogenea)
Frequenza di lampeggiamento:	0 - 18 Hz
Canali DMX:	3; 5; 12; 15
Ingresso DMX:	1 x XLR (M) a 3 poli versione da incasso 1 x Versione da incasso XLR (M) a 5 poli
Uscita DMX:	1 x XLR (F) a 3 poli versione da incasso 1 x Versione da incasso XLR (F) a 5 poli
Attivazione:	Stand-alone; DMX; controllo della musica via microfono
Pre-programmato con:	Light´J; Light Captain
Angolazione del fascio di luce:	60°
Angolazione del fascio di luce (1/2 picco):	60°
Colore della custodia:	Nero
Misure:	Lunghezza: 44 cm Profondità: 15 cm Altezza: 16,5 cm

Peso:	5,50 kg
Specifiche legali	
Prodotto speciale:	Non destinato all'illuminazione di ambienti domestici
Destinazione d'uso:	Illuminazione per effetti speciali

ROADINGER Flightcase 2x PMB-4

Carico massimo:	25 kg
Uso del marchio:	Hardware di marca
Materiale:	Legno multistrato di betulla, 7 mm
Colore:	Marrone scuro, laminato
Dimensioni vano:	18,5 cm x 17 cm x 41 cm
Dimensioni interne:	38 cm x 17 cm x 41 cm
Misure:	Larghezza: 41,5 cm Profondità: 20,5 cm Altezza: 50,5 cm
Peso:	5,30 kg