

OMNITRONIC WDT-5.0 AptX HD Bluetooth 5.0 Transceiver

Bluetooth transmitter and receiver with aptX HD, aptX Low Latency and dual link

Art.n.: 13072198

GTIN: 4026397713732



Descrizione :

The WDT-5.0 is a 2-in-1 Bluetooth transmitter and receiver. With the premium CSR8675 chipset and Bluetooth 5.0 technology, this compact and portable adapter delivers fast and reliable wireless connections. When used as a Bluetooth transmitter it can stream the sound of non-Bluetooth devices like your TV or computer to Bluetooth headphones or speakers. When used as a Bluetooth receiver it can be connected to your home audio system for wireless music playback from your Bluetooth-enabled smartphone, tablet or laptop.

The WDT-5.0 supports the aptX HD technology in both modes to bring you high-definition wireless audio streaming. The aptX Low Latency technology reduces latency to 40 ms so you can enjoy high-quality audio in sync with the picture. To enjoy the advantages of aptX your Bluetooth headphones or speaker must support this technology as well.

The adapter can pair and connect to 2 Bluetooth devices simultaneously and store 8 devices for automatic re-pairing with existing paired devices. Equipped with a long-lasting lithium-ion battery, it can continuously play for more than 20 hours, and just needs 2 hours to fully charge. It also supports charging and streaming at the same time. You can use the included wall adapter for charging or any 5V USB port.

The WDT-5.0 supports both analog (3.5mm AUX/RCA) and digital optical (Toslink) audio input and output for universal compatibility. All necessary audio connection cables are included.

Features :

- Switchable between transmitter mode and receiver mode
- Transmitter mode: wirelessly stream audio from your TV or any audio source to 2 Bluetooth headphones or speakers
- Receiver mode: wirelessly play music from your smartphone via your home stereo system
- Convenient music control in receiver mode (play/pause, volume, title selection)

Logistica

EAN / GTIN: 4026397713732

Peso : 0,21 kg

Lunghezza : 0.19 m

Larghezza : 0.10 m

Altezza : 0.04 m

- Codec and status indication via LED
- Supports simultaneous charging and streaming
- Ingresso/uscita audio tramite jack da 3,5 mm e connettori ottici Toslink
- Estremamente compatto e leggero
- Senza fili, flessibile e versatile
- Controllabile via Bluetooth
- Codec supportati: AptX, aptX HD, aptX low latency, AAC, SBC
- Supports multipoint, it can be coupled with up to 2 devices simultaneously
- Supports Duallink, the device can stream to up to 2 devices simultaneously
- Up to 8 devices are automatically saved for automatic reconnection when switching on again
- Portata fino a 10m a vista
- 2.4 GHz registrazione gratuita e gratuita in tutto il mondo

Trasmittitore

- Durata di funzionamento fino a 20h AUX; Durata di funzionamento fino a 14h SPDIF

ricevitore

- Durata di funzionamento fino a 17,5h AUX; Durata di funzionamento fino a 12,5h SPDIF

Dati tecnici :

Tipo:	Trasmissione audio
Alimentazione elettrica:	100-240 V AC, 50/60 Hz 5V DC 500 mA
Allacciamento elettrico:	Alimentazione dell'energia elettrica tramite Micro USB (F) versione da incasso cavo di alimentazione per collegamento alla rete USB A (in dotazione) Pila/Batteria ricaricabile montato
Tipo di batteria:	1 x Ioni di litio 3,7 V, 350 mAh, 1,295 Wh
Attivazione:	Bluetooth
Bluetooth:	Versione: 5,0 Classe 2 Profilo: A2DP, AVRCP Chipset: CSR BC8675
Codec supportati:	AptX, aptX HD, aptX low latency, AAC, SBC
Accoppiamento:	Multipoint: simultaneous pairing up to 2 audio sources Duallink: up to 2 devices simultaneously streaming
Massima:	Fino a 10m a vista
Banda di frequenza:	2.4 GHz
LED di stato:	Power, Pairing, Segnale, Indicatore del livello di carica
Collegamenti:	Ingresso: line via 1 x Presa jack (stereo) da 3,5 mm versione da incasso Ingresso: ottica via 1 x toslink Uscita: line via 1 x Presa jack (stereo) da 3,5 mm versione da incasso Uscita: ottica via 1 x toslink
Materiale:	Plastica
Colore:	Nero
Peso:	0,14 kg
Misure:	Larghezza: 7 cm Profondità: 7 cm Altezza: 2,2 cm
Peso:	0,06 kg

Batteria: Durata di funzionamento fino a 20h AUX
Durata di funzionamento fino a 14h SPDIF
Tempo di ricarica 2h

Batteria: Durata di funzionamento fino a 17,5h AUX
Durata di funzionamento fino a 12,5h SPDIF
Tempo di ricarica 2h

Contenuto della confezione:

1 x Dispositivo
1 x alimentatore esterno
1 x Cavo USB
1 x cavi jack
1 x cavi adattatori
1 x Cavi TOSLINK
1 x Manuale d'uso
1 x dichiarazione di conformità