

## EUROLITE Set 4x AKKU TL-3 TCL Trusslight + SB4 Soft-Bag

4 LED truss lights with battery power in a handy soft bag

Art.n.: 20000121

GTIN:



**L'articolo non è più disponibile.**

### Features :

#### EUROLITE AKKU TL-3 TCL Trusslight

Spotlight with 3 x 3 W 3in1 LED (RGB) for lighting within trussing

- Compact and bright, making it perfect for truss installation
- Cordless, flexible and versatile
- Equipped with 3 x 3 W TCL LED in red, green and blue
- Operation via mains connection or built-in rechargeable lithium-ion battery with up to 6.5 hours operating time
- Integrated automatic charging of the battery with indicator
- Controllable via EUROLITE IR-7 remote control; included in the delivery
- DMX-controlled operation or stand-alone operation with Master/Slave function
- 3, 5 or 8 DMX channels selectable
- Functions: static colors, stepless RGB color mixture, internal programs, dimmer, strobe effect with variable speed, sound-control, Master/Slave operation
- Dimmer speed (step response) adjustable
- Adjustable microphone sensitivity
- Addressing via control panel with 4-digit LED display
- Ideal for booth construction, stages and any kind of truss
- Ideal for ALUTRUSS 3-POINT SYSTEM DECOLOCK DQ3
- Hanging as well as standing installation possible
- Switch-mode power supply for operation between 100 and 240 volts
- Ready for connection via included power cable with safety power plug
- Feed-through output allows to power up to 8 devices
- 3 potenti LED 3 W high power 3in1 TCL RGB (miscela di colori omogenea)
- Controllabile via DMX; stand-alone; controllo della musica via microfono
- Già pre-programmato con Light' J; LED PC-Control 512; Light Captain
- Senza sfarfallio

### Logistica

- With a beam angle of 16°
- Dispositivo**
- Senza fili, flessibile e versatile
  - Durata di funzionamento fino a 6,5h a seconda del programma utilizzato
- Dotazione della fornitura**
- 1 x Dispositivo, 1 x telecomando

#### EUROLITE SB-4 Soft Bag M

Black soft bag for up to four devices (AKKU UP-4/TL-3 TCL)

- Practical transport bag offers enough space for several lighting effects and accessories
- Large interior, four times divisible and adaptable with foam dividers and pads
- Suitable e.g. for 4 x AKKU UP-4 Spot, 4 x TL-3 TCL Trusslight (41700500) or 3 x AKKU UP-4 Spot QuickDMX (41700540)
- Interior upholstery helps securing and safeguarding the fixtures during transportation
- External pocket stores accessories like cables, clamps, lamps and tape
- Made of easy-care nylon
- Carrying handles

#### Dati tecnici :

|       |         |
|-------|---------|
| Peso: | 5,91 kg |
|-------|---------|

#### EUROLITE AKKU TL-3 TCL Trusslight

|                                                 |                                                                                                                                                                                      |
|-------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Alimentazione elettrica:                        | 100-240 V AC, 50/60 Hz                                                                                                                                                               |
| Potenza totale installata:                      | 19,00 W                                                                                                                                                                              |
| Grado di protezione:                            | IP20                                                                                                                                                                                 |
| Allacciamento elettrico:                        | Pila/Batteria ricaricabile<br>Alimentazione dell'energia elettrica tramite dispositivi a freddo (M) versione da incasso cavo di alimentazione con spina di protezione (in dotazione) |
| Uscita di corrente:                             | 1 x dispositivi a freddo (F) versione da incasso                                                                                                                                     |
| Tipo di lampada:                                | Lampada a LED                                                                                                                                                                        |
| Tipo di LED:                                    | 3 x 3 W high power 3in1 TCL RGB (miscela di colori omogenea)                                                                                                                         |
| Frequenza di lampeggiamento:                    | 0 - 30 Hz                                                                                                                                                                            |
| Canali DMX:                                     | 3; 5; 8                                                                                                                                                                              |
| Ingresso DMX:                                   | 1 x XLR (M) a 3 poli versione da incasso                                                                                                                                             |
| Uscita DMX:                                     | 1 x XLR (F) a 3 poli versione da incasso                                                                                                                                             |
| Attivazione:                                    | DMX; stand-alone; controllo della musica via microfono                                                                                                                               |
| Pre-programmato con:                            | Light´J; LED PC-Control 512; Light Captain                                                                                                                                           |
| Proiezione:                                     | Senza sfarfallio                                                                                                                                                                     |
| Angolazione del fascio di luce:                 | 16°                                                                                                                                                                                  |
| Angolazione del fascio di luce (1/2 picco):     | 16°                                                                                                                                                                                  |
| Angolazione del fascio di luce (1/10 di picco): | 34°                                                                                                                                                                                  |
| Colore della custodia:                          | Nero                                                                                                                                                                                 |
| Misure:                                         | Larghezza: 12,1 cm                                                                                                                                                                   |

|                     |                                                                                                     |
|---------------------|-----------------------------------------------------------------------------------------------------|
|                     | Profondità: 10,8 cm<br>Altezza: 13,6 cm                                                             |
| Peso:               | 1,35 kg                                                                                             |
| Dispositivo         |                                                                                                     |
| Tipo di batteria:   | 1 x Ioni di litio 11,1 V, 4400 mAh, 48,84 Wh                                                        |
| Batteria:           | Durata di funzionamento fino a 6,5h a seconda<br>del programma utilizzato<br>Tempo di ricarica 4,5h |
| Telecomando         |                                                                                                     |
| Pila:               | 1 x pila a bottone 3,0 V CR2025 litio-manganese<br>montato                                          |
| Specifiche legali   |                                                                                                     |
| Prodotto speciale:  | Non destinato all'illuminazione di ambienti<br>domestici                                            |
| Destinazione d'uso: | Illuminazione per effetti speciali                                                                  |

#### **EUROLITE SB-4 Soft Bag M**

|                     |                                                         |
|---------------------|---------------------------------------------------------|
| Carico massimo:     | 25 kg                                                   |
| Materiale:          | Tessili                                                 |
| Colore:             | Nero                                                    |
| Dimensioni vano:    | 14 cm x 14 cm x 19 cm                                   |
| Dimensioni interne: | 29 cm x 29 cm x 19 cm                                   |
| Misure:             | Larghezza: 30 cm<br>Profondità: 33 cm<br>Altezza: 20 cm |
| Peso:               | 0,51 kg                                                 |