



L'articolo non è più disponibile.

Features :

EUROLITE LED PMC-16x30W COB RGB WFL

PRO COB performance cluster (4 x 4 matrix) with 60° beam angle

- Equipped with 16 x 30 W COB LEDs in the colors red, green and blue
- 3, 5, 48 or 51 DMX channels selectable for various applications
- Each LED can be controlled individually
- Switch-mode power supply, automatic power supply adaption between 100 and 240 Volts without power selector
- Functions: static colors; RGB color mixture, automatic color change, built-in programs and strobe effect with variable speed, dimmer, Master/Slave
- DMX-controlled operation or stand-alone operation with Master/Slave function
- Comfortable addressing and setting via control panel with LC display and four operating buttons
- Locking possibility at the mounting bracket
- Power connection via Neutrik PowerCon jack and included power cable
- Feed-through output allows to power another device
- After every 8 device the fixtures must have a renewed connection with the power mains
- DMX control via every standard DMX controller
- Controllabile via DMX; controllo della musica via microfono
- Già pre-programmato con Light'J; Light Captain

ROADINGER Flightcase 4x PMC-16

PRO flightcase for 4 x PMC-16

- Compartments for four PMC-16
- Suitable for 41606200 EUROLITE LED PMC-16x20W COB 3200K and 41606400 EUROLITE LED PMC-16x30W COB RGB

Logistica

- Interior upholstered with foam
- High-quality workmanship with multiplex birch wood, dark brown laminated
- Aluminum profile frames (25 mm) with rounded edges
- Three-leg, large steel ball corners
- 2 x hinge
- 2 high-quality butterfly locks
- 2 case handles
- Ruote girevoli
- Hardware di marca
- Per maggiori informazioni su questo prodotto, consultare "Download" nella scheda tecnica

Dati tecnici :

Peso:	54,10 kg
-------	----------

EUROLITE LED PMC-16x30W COB RGB WFL

Alimentazione elettrica:	100-240 V AC, 50/60 Hz
Potenza totale installata:	470 W
Grado di protezione:	IP20
Uscita di corrente:	1 x PowerCON (grigio), versione da incasso
Tipo di lampada:	Lampada a LED
Frequenza di lampeggiamento:	1 - 20 Hz
Canali DMX:	3
Attivazione:	DMX; controllo della musica via microfono
Pre-programmato con:	Light´J; Light Captain
Angolazione del fascio di luce (1/2 picco):	60°
Colore della custodia:	Nero
Misure:	Larghezza: 18 cm Profondità: 37 cm Altezza: 35 cm
Peso:	8,5 kg
DMX channels:	3/5/48/51
DMX connection:	5-pin and 3-pin XLR
Flash-rate:	20 Hz
Sound-control:	via built-in microphone
LED number:	16
LED type:	Cluster 30 W, RGB
Beam angle:	60°
Dimensions (W x D x H):	350 x 180 x 370 mm
Specifiche legali	
Prodotto speciale:	Non destinato all'illuminazione di ambienti domestici
Destinazione d'uso:	Illuminazione per effetti speciali

ROADINGER Flightcase 4x PMC-16

Carico massimo:	50 kg
Ausilio di trasporto:	Ruote girevoli
Uso del marchio:	Hardware di marca
Materiale:	Legno multistrato di betulla, 7 mm
Colore:	Marrone scuro, laminato
Misure:	Larghezza: 100 cm Profondità: 39,5 cm Altezza: 56 cm
Peso:	20,10 kg
Strength:	7 mm
Outside dimensions (W x D x H):	1000 x 395 x 560 mm
Inside dimensions (W x D x H):	960 x 355 x 390 mm
Compartment dimensions (W x D x H):	195 x 355 x 390 mm
Accessory compartment (W x D x H):	95 x 355 x 315 mm