

EUROLITE LED MFX-2 Beam Effect

Small moving effect with 2 LED heads and 4 beams with unlimited PAN/TILT

Art.n.: 50944302

GTIN: 4026397571486



L'articolo non è più disponibile.

Descrizione :

High LED power with unlimited rotation

The LED MFX-2 Beam Effect by Eurolite is a compact RGBW beam effect with 2 ultra-fast moving heads with unlimited pan and tilt rotation and precise 16-bit resolution for a thrilling light show. Both heads are individually controllable and fitted with powerful 10-watt LEDs that will bring you brilliant, razor sharp beams of light with a narrow 2° beam angle. The 4in1 quad-color technology (red, green blue and white) enables particularly homogeneous color mixtures.

The LED MFX-2 can be controlled in one of two DMX modes or via external sound sources, offers 4 automated programs, dimming and strobe effects and can be operated as stand-alone, master or slave device. The LED display with four operating buttons makes for easy configuration.

The MFX-2 is cooled by a particularly silent fan and features 3-pin DMX connectors and an IEC connector for power supply. It can be operated with voltages between 100 and 240 volts and weighs only around 3 kg.

Features :

- With Infinity function for unlimited PAN and TILT movement
- TILT movement for each LED head separately and steplessly adjustable
- Equipped with four 10 W quadcolor LEDs with RGBW colors
- Narrow beam angle
- Compact lightweight
- Functions: Colored beams in R, G, B and W, auto mode, color presets, Master/Slave function, built-in programs
- Stepless RGBW color mixture

Logistica

EAN / GTIN: 4026397571486

Peso : 3,60 kg

Lunghezza : 0.37 m

Larghezza : 0.18 m

Altezza : 0.28 m

- Dimmer
- Strobe effect with adjustable speed
- Random strobe effect
- Exact positioning via 16 bit PAN/TILT movement resolution
- DMX-controlled operation or stand-alone operation with Master/Slave function
- Addressing via control panel with 4-digit LED display
- Switch-mode power supply for operation between 100 and 240 volts
- Feed-through output allows to power up to 8 devices
- Ready for connection with power cord and safety plug
- 4 potenti LED 10 W high power 4in1 QCL RGBW
- Posizionamento esatto (risoluzione a 16 bit)
- Effetto raggianti
- Il dispositivo è raffreddato tramite Ventola
- Controllabile via stand-alone; DMX; controllo della musica via microfono
- Già pre-programmato con LED PC-Control 512; Light Captain
- Senza sfarfallio
- With a beam angle of 2°

Dati tecnici :

Alimentazione elettrica:	100-240 V AC, 50/60 Hz
Potenza totale installata:	55 W
Grado di protezione:	IP20
Allacciamento elettrico:	Alimentazione dell'energia elettrica tramite dispositivi a freddo (M) versione da incasso cavo di alimentazione con spina di protezione (in dotazione)
Uscita di corrente:	1 x dispositivi a freddo (F) versione da incasso
Tipo di lampada:	Lampada a LED
Tipo di LED:	4 x 10 W high power 4in1 QCL RGBW
Movimento oscillatorio TILT massimo:	Posizionamento esatto (risoluzione a 16 bit) plus infinity
Movimento di rotazione PAN massimo:	Posizionamento esatto (risoluzione a 16 bit) plus infinity
Frequenza di lampeggiamento:	0 - 18 Hz
Canali DMX:	21; 28
Ingresso DMX:	1 x XLR (M) a 3 poli versione da incasso
Uscita DMX:	1 x XLR (F) a 3 poli versione da incasso
Raffreddamento:	Ventola
Attivazione:	Stand-alone; DMX; controllo della musica via microfono
Pre-programmato con:	LED PC-Control 512; Light Captain
Proiezione:	Senza sfarfallio
Angolazione del fascio di luce:	2°
Angolazione del fascio di luce (1/2 picco):	2°
Illuminamento in lux (lx):	Rosso (R) 3m: 913 lx, 6m: 182 lx Verde (G) 3m: 915 lx, 6m: 228 lx Blu (B) 3m: 252 lx, 6m: 63 lx Bianco freddo (CW) 3m: 936 lx, 6m: 232 lx
Colore della custodia:	Nero
Misure:	Larghezza: 12 cm Profondità: 19,6 cm Altezza: 35 cm

Peso:	3,10 kg
Specifiche legali	
Prodotto speciale:	Non destinato all'illuminazione di ambienti domestici
Destinazione d'uso:	Illuminazione per effetti speciali